

KEEP GUESTS HAPPY WITH CLEAN, FILM-FREE FLATWARE

# Liquid Flatware Presoak

Why is presoaking flatware beneficial? The solution in the formula breaks down food soils such as starch and protein films that a dishmachine alone can't handle.

- Helps reduce the need to rewash stainless steel flatware and silverware due to food soil or film
- Instantly-soluble formula is safe to use on silver and stainless steel
- Removes tarnish from silver flatware
- Does not require PPE



## DIRECTIONS FOR USE:

### For Presoaking Stainless Steel Flatware and Other Tableware:

1. Add the recommended amount per gallon of warm (110°-140°F) water.
2. Remove as much food soil as possible before submerging utensils in presoak solution.
3. Let stand in solution until soil is softened – at least 5 minutes.
4. Remove from presoak solution, rinse and wash in regular manner before the surface dries.
5. Change the presoak solution when the water gets dirty.

### Recommended Use Range:

Heavy Soil: 1.3 oz - 26 drops per gallon  
 Medium Soil: 0.9 oz - 18 drops per gallon  
 Light Soil: 0.5 oz - 10 drops per gallon



## WAREWASHING SOLUTIONS

PRODUCT	PACK SIZE	SWSH #	DIST #
Liquid Flatware Presoak	4 - 1 gal	6101933	

The Swisher experienced and dedicated sales team provide you personalized support to help you run a clean and safe operation.

Call **1 800 360 SWSH** or visit **SWSH.com** for more information.

1 Ecolab Place St. Paul, MN 55102

©2024 Ecolab USA Inc. All rights reserved. 53180/0403/0224

